



# 8" Amplified Subwoofer JXA8BA2



## PRODUCT FEATURES

- Max power handling: 150 watts
- Power system: 12VDC
- RMS power: 75 watts
- Frequency: 53Hz-600Hz
- 8" IMPP woofer
- Built-in amplification
- Ported enclosure design for enhanced low frequency output
- Mate-in-lock connectors for easy installation
- Right angle mounting brackets included
- Adjustable gain and crossover
- High and low (line) level inputs
- Overall dimensions: 19.6"W x 9.9"H x 5.9"D

DESIGNED TO MOVE [YOU]<sup>™</sup>




Features and specifications subject to change without notice.

**asa**  
ELECTRONICS<sup>™</sup>  
2602 Marina Drive • Elkhart, IN 46514  
[www.asaelectronics.com](http://www.asaelectronics.com)





# 8" Amplified Subwoofer JXA8BA2



## General Specifications

Power System		12VDC
Operating Voltage Range		10.8VDC to 14.7 VDC
Current Draw @ 12V	Idle	300mA
	Nominal	6.3A
	Maximum	10A
Operating Temperature Range		-4°F to 149°F    -20°C to 65°C
Storage Temperature Range		-22°F to 176°F    -30°C to 80°C
Maximum Relative Humidity		82%
Overall Dimensions		19.6"x 9.9"x 5.9"
Product Weight (unpackaged)		17.6Lbs

## Speaker / Amplifier Specifications

Voice Coil Impedance	4 Ohms
Voice Coil Size	38.6mm
Magnet Size	120X20mm
Frequency Response	53Hz to 600Hz
RMS Power Output	75W
MAX Power Output	150W
SPL @ 1Watt/1Meter	86dB
Low Level Input Range	0 – 200mV
High Level Input Range	1 – 6V