

Voyager[®]

REAR BACK-UP CAMERA

WVCM5130AP



WiSight[®] technology

FEATURES

- CMOS sensor
- 14 IR LEDs for low-light illumination
- Powered through rear light wiring or any other available 12V DC power source
- Long distance transmit/receiving capability
- Simple, universal installation
- Waterproof design and construction


EXPAND your vision™

asa
ELECTRONICS™
2602 Marina Drive • Elkhart, IN 46514
www.asaelectronics.com

Voyager®

REAR BACK-UP CAMERA

WVCM5130AP



Specifications	CAMERA
Power System	12VDC
Operating Voltage Range	10 ~ 14V
Power Consumption (MAX)	332 mA
Operating Temperature Range	-20°C to 65°C
Storage Temperature Range	-30°C to 85°C
Operating Relative Humidity	100%
Waterproof Rating	IPX6
Overall Dimensions	5.8"x 3"x 3.3"
Product Weight (unpackaged)	9 oz
Video Output Signal Format	NTSC
Video Signal Level	1.0V p-p ; 75Ω
Audio	Microphone
Sensor	1/3" CMOS
Sensitivity	0 Lux
Image Orientation	Mirror (Reversed)
Resolution	380 Lines
View Angles	122°(D) 91°(H) 65°(V)
Brightness	NA
Contrast Ratio	NA
Response Time	NA
Display Format	NA